



MAIN HOUSE

TEXAS ASSOCIATION OF REALTORS®
SELLER'S DISCLOSURE NOTICE

©Texas Association of REALTORS®, Inc. 2016

Section 5.008, Property Code requires a seller of residential property of not more than one dwelling unit to deliver a Seller's Disclosure Notice to a buyer on or before the effective date of a contract. **This form complies with and contains additional disclosures which exceed the minimum disclosures required by the Code.**

33 Delaware Creek Rd.
Blanco, Tx 78606

CONCERNING THE PROPERTY AT _____

THIS NOTICE IS A DISCLOSURE OF SELLER'S KNOWLEDGE OF THE CONDITION OF THE PROPERTY AS OF THE DATE SIGNED BY SELLER AND IS NOT A SUBSTITUTE FOR ANY INSPECTIONS OR WARRANTIES THE BUYER MAY WISH TO OBTAIN. IT IS NOT A WARRANTY OF ANY KIND BY SELLER, SELLER'S AGENTS, OR ANY OTHER AGENT.

Seller is is not occupying the Property. If unoccupied (by Seller), how long since Seller has occupied the Property?
 _____ or never occupied the Property

Section 1. The Property has the items marked below: (Mark Yes (Y), No (N), or Unknown (U).)

This notice does not establish the items to be conveyed. The contract will determine which items will & will not convey.

Item	Y	N	U
Cable TV Wiring	✓		
Carbon Monoxide Det.		✓	
Ceiling Fans	✓		
Cooktop	✓		
Dishwasher	✓		
Disposal	✓		
Emergency Escape Ladder(s)		✓	
Exhaust Fans	✓		
Fences	✓		
Fire Detection Equip.		✓	
French Drain		✓	
Gas Fixtures	✓		
Natural Gas Lines		✓	

Item	Y	N	U
Liquid Propane Gas:	✓		
-LP Community (Captive)			
-LP on Property	✓		
Hot Tub		✓	
Intercom System		✓	
Microwave	✓		
Outdoor Grill		✓	
Patio/Decking	✓		
Plumbing System	✓		
Pool	✓		
Pool Equipment	✓		
Pool Maint. Accessories	✓		
Pool Heater		✓	

Item	Y	N	U
Pump: <input type="checkbox"/> sump <input type="checkbox"/> grinder		✓	
Rain Gutters	✓		
Range/Stove	✓	✓	
Roof/Attic Vents		✓	
Sauna		✓	
Smoke Detector	✓		
Smoke Detector – Hearing Impaired		✓	
Spa		✓	
Trash Compactor	✓		
TV Antenna	✓		
Washer/Dryer Hookup	✓		
Window Screens	✓		
Public Sewer System		✓	

Item	Y	N	U	Additional Information
Central A/C	✓			<input checked="" type="checkbox"/> electric <input type="checkbox"/> gas number of units: _____
Evaporative Coolers		✓		number of units: <u>2</u>
Wall/Window AC Units		✓		number of units: _____
Attic Fan(s)		✓		if yes, describe: _____
Central Heat	✓			<input checked="" type="checkbox"/> electric <input type="checkbox"/> gas number of units: _____
Other Heat		✓		if yes, describe: <u>fire place</u>
Oven	✓			number of ovens: <u>2</u> <input checked="" type="checkbox"/> electric <input type="checkbox"/> gas <input type="checkbox"/> other: _____
Fireplace & Chimney	✓			<input checked="" type="checkbox"/> wood <input type="checkbox"/> gas logs <input type="checkbox"/> mock <input type="checkbox"/> other: _____
Carport	✓			<input checked="" type="checkbox"/> attached <input type="checkbox"/> not attached
Garage		✓		<input type="checkbox"/> attached <input type="checkbox"/> not attached
Garage Door Openers		✓		number of units: _____ number of remotes: _____
Satellite Dish & Controls		✓		<input type="checkbox"/> owned <input type="checkbox"/> leased from _____
Security System		✓		<input type="checkbox"/> owned <input type="checkbox"/> leased from _____
Water Heater	✓			<input checked="" type="checkbox"/> electric <input type="checkbox"/> gas <input type="checkbox"/> other: _____ number of units: _____
Water Softener	✓			<input checked="" type="checkbox"/> owned <input type="checkbox"/> leased from _____
Underground Lawn Sprinkler		✓		<input type="checkbox"/> automatic <input type="checkbox"/> manual areas covered: _____
Septic / On-Site Sewer Facility	✓			if yes, attach Information About On-Site Sewer Facility (TAR-1407)

Concerning the Property at _____

Water supply provided by: city well MUD co-op unknown other: _____

Was the Property built before 1978? yes no unknown

(If yes, complete, sign, and attach TAR-1906 concerning lead-based paint hazards).

Roof Type: metal Age: Built in 1994 (approximate)

Is there an overlay roof covering on the Property (shingles or roof covering placed over existing shingles or roof covering)?

yes no unknown

Are you (Seller) aware of any of the items listed in this Section 1 that are not in working condition, that have defects, or are need of repair? yes no If yes, describe (attach additional sheets if necessary): Door bell AND exhaust fan in master bath

Section 2. Are you (Seller) aware of any defects or malfunctions in any of the following?: (Mark Yes (Y) if you are aware and No (N) if you are not aware.)

Item	Y	N
Basement		<input checked="" type="checkbox"/>
Ceilings		<input checked="" type="checkbox"/>
Doors		<input checked="" type="checkbox"/>
Driveways		<input checked="" type="checkbox"/>
Electrical Systems		<input checked="" type="checkbox"/>
Exterior Walls		<input checked="" type="checkbox"/>

Item	Y	N
Floors		<input checked="" type="checkbox"/>
Foundation / Slab(s)		<input checked="" type="checkbox"/>
Interior Walls		<input checked="" type="checkbox"/>
Lighting Fixtures		<input checked="" type="checkbox"/>
Plumbing Systems		<input checked="" type="checkbox"/>
Roof		<input checked="" type="checkbox"/>

Item	Y	N
Sidewalks		<input checked="" type="checkbox"/>
Walls / Fences		<input checked="" type="checkbox"/>
Windows		<input checked="" type="checkbox"/>
Other Structural Components		<input checked="" type="checkbox"/>

If the answer to any of the items in Section 2 is yes, explain (attach additional sheets if necessary): _____

Section 3. Are you (Seller) aware of any of the following conditions: (Mark Yes (Y) if you are aware and No (N) if you are not aware.)

Condition	Y	N
Aluminum Wiring		<input checked="" type="checkbox"/>
Asbestos Components		<input checked="" type="checkbox"/>
Diseased Trees: <input type="checkbox"/> oak wilt <input type="checkbox"/> _____		<input checked="" type="checkbox"/>
Endangered Species/Habitat on Property		<input checked="" type="checkbox"/>
Fault Lines		<input checked="" type="checkbox"/>
Hazardous or Toxic Waste		<input checked="" type="checkbox"/>
Improper Drainage		<input checked="" type="checkbox"/>
Intermittent or Weather Springs		<input checked="" type="checkbox"/>
Landfill		<input checked="" type="checkbox"/>
Lead-Based Paint or Lead-Based Pt. Hazards		<input checked="" type="checkbox"/>
Encroachments onto the Property		<input checked="" type="checkbox"/>
Improvements encroaching on others' property		<input checked="" type="checkbox"/>
Located in 100-year Floodplain		<input checked="" type="checkbox"/>
Located in Floodway		<input checked="" type="checkbox"/>
Present Flood Ins. Coverage (If yes, attach TAR-1414)		<input checked="" type="checkbox"/>
Previous Flooding into the Structures		<input checked="" type="checkbox"/>
Previous Flooding onto the Property		<input checked="" type="checkbox"/>
Located in Historic District		<input checked="" type="checkbox"/>
Historic Property Designation		<input checked="" type="checkbox"/>
Previous Use of Premises for Manufacture of Methamphetamine		<input checked="" type="checkbox"/>

Condition	Y	N
Previous Foundation Repairs		<input checked="" type="checkbox"/>
Previous Roof Repairs		<input checked="" type="checkbox"/>
Other Structural Repairs		<input checked="" type="checkbox"/>
Radon Gas		<input checked="" type="checkbox"/>
Settling		<input checked="" type="checkbox"/>
Soil Movement		<input checked="" type="checkbox"/>
Subsurface Structure or Pits		<input checked="" type="checkbox"/>
Underground Storage Tanks		<input checked="" type="checkbox"/>
Unplatted Easements		<input checked="" type="checkbox"/>
Unrecorded Easements		<input checked="" type="checkbox"/>
Urea-formaldehyde Insulation		<input checked="" type="checkbox"/>
Water Penetration		<input checked="" type="checkbox"/>
Wetlands on Property		<input checked="" type="checkbox"/>
Wood Rot		<input checked="" type="checkbox"/>
Active infestation of termites or other wood destroying insects (WDI)		<input checked="" type="checkbox"/>
Previous treatment for termites or WDI		<input checked="" type="checkbox"/>
Previous termite or WDI damage repaired		<input checked="" type="checkbox"/>
Previous Fires		<input checked="" type="checkbox"/>
Termite or WDI damage needing repair		<input checked="" type="checkbox"/>
Single Blockable Main Drain in Pool/Hot Tub/Spa*		<input checked="" type="checkbox"/>

Concerning the Property at _____

If the answer to any of the items in Section 3 is yes, explain (attach additional sheets if necessary): _____

*A single blockable main drain may cause a suction entrapment hazard for an individual.

Section 4. Are you (Seller) aware of any item, equipment, or system in or on the Property that is in need of repair, which has not been previously disclosed in this notice? yes no If yes, explain (attach additional sheets if necessary): _____

Section 5. Are you (Seller) aware of any of the following (Mark Yes (Y) if you are aware. Mark No (N) if you are not aware.)

Y N

- Room additions, structural modifications, or other alterations or repairs made without necessary permits or not in compliance with building codes in effect at the time.
- Homeowners' associations or maintenance fees or assessments. If yes, complete the following:
Name of association: _____
Manager's name: _____ Phone: _____
Fees or assessments are: \$ _____ per _____ and are: mandatory voluntary
Any unpaid fees or assessment for the Property? yes (\$ _____) no
If the Property is in more than one association, provide information about the other associations below or attach information to this notice.
- Any common area (facilities such as pools, tennis courts, walkways, or other) co-owned in undivided interest with others. If yes, complete the following:
Any optional user fees for common facilities charged? yes no If yes, describe: _____
- Any notices of violations of deed restrictions or governmental ordinances affecting the condition or use of the Property.
- Any lawsuits or other legal proceedings directly or indirectly affecting the Property. (Includes, but is not limited to: divorce, foreclosure, heirship, bankruptcy, and taxes.)
- Any death on the Property except for those deaths caused by: natural causes, suicide, or accident unrelated to the condition of the Property.
- Any condition on the Property which materially affects the health or safety of an individual.
- Any repairs or treatments, other than routine maintenance, made to the Property to remediate environmental hazards such as asbestos, radon, lead-based paint, urea-formaldehyde, or mold.
If yes, attach any certificates or other documentation identifying the extent of the remediation (for example, certificate of mold remediation or other remediation).
- Any rainwater harvesting system located on the Property that is larger than 500 gallons and that uses a public water supply as an auxiliary water source.
- The Property is located in a propane gas system service area owned by a propane distribution system retailer.
- Any portion of the Property that is located in a groundwater conservation district or a subsidence district.

Concerning the Property at _____

If the answer to any of the items in Section 5 is yes, explain (attach additional sheets if necessary): _____

Section 6. Seller has has not attached a survey of the Property.

Section 7. Within the last 4 years, have you (Seller) received any written inspection reports from persons who regularly provide inspections and who are either licensed as inspectors or otherwise permitted by law to perform inspections? yes no If yes, attach copies and complete the following:

Inspection Date	Type	Name of Inspector	No. of Pages

Note: A buyer should not rely on the above-cited reports as a reflection of the current condition of the Property. A buyer should obtain inspections from inspectors chosen by the buyer.

Section 8. Check any tax exemption(s) which you (Seller) currently claim for the Property:

- Homestead
- Senior Citizen
- Disabled
- Wildlife Management
- Agricultural
- Disabled Veteran
- Other: _____
- Unknown

Section 9. Have you (Seller) ever filed a claim for damage to the Property with any insurance provider? yes no

Section 10. Have you (Seller) ever received proceeds for a claim for damage to the Property (for example, an insurance claim or a settlement or award in a legal proceeding) and not used the proceeds to make the repairs for which the claim was made? yes no If yes, explain: _____



Section 11. Does the property have working smoke detectors installed in accordance with the smoke detector requirements of Chapter 766 of the Health and Safety Code? unknown no yes. If no or unknown, explain. (Attach additional sheets if necessary): _____

**Chapter 766 of the Health and Safety Code requires one-family or two-family dwellings to have working smoke detectors installed in accordance with the requirements of the building code in effect in the area in which the dwelling is located, including performance, location, and power source requirements. If you do not know the building code requirements in effect in your area, you may check unknown above or contact your local building official for more information.*

A buyer may require a seller to install smoke detectors for the hearing impaired if: (1) the buyer or a member of the buyer's family who will reside in the dwelling is hearing-impaired; (2) the buyer gives the seller written evidence of the hearing impairment from a licensed physician; and (3) within 10 days after the effective date, the buyer makes a written request for the seller to install smoke detectors for the hearing-impaired and specifies the locations for installation. The parties may agree who will bear the cost of installing the smoke detectors and which brand of smoke detectors to install.

Concerning the Property at _____

Seller acknowledges that the statements in this notice are true to the best of Seller's belief and that no person, including the broker(s), has instructed or influenced Seller to provide inaccurate information or to omit any material information.

	_____	Date		_____	Date
Signature of Seller	_____	Date	Signature of Seller	_____	Date
Printed Name: <u>Robert W. Carr</u>	_____		Printed Name: <u>Catherine M. Carr</u>	_____	

ADDITIONAL NOTICES TO BUYER:

- (1) The Texas Department of Public Safety maintains a database that the public may search, at no cost, to determine if registered sex offenders are located in certain zip code areas. To search the database, visit www.txdps.state.tx.us. For information concerning past criminal activity in certain areas or neighborhoods, contact the local police department.
- (2) If the property is located in a coastal area that is seaward of the Gulf Intracoastal Waterway or within 1,000 feet of the mean high tide bordering the Gulf of Mexico, the property may be subject to the Open Beaches Act or the Dune Protection Act (Chapter 61 or 63, Natural Resources Code, respectively) and a beachfront construction certificate or dune protection permit may be required for repairs or improvements. Contact the local government with ordinance authority over construction adjacent to public beaches for more information.
- (3) If you are basing your offers on square footage, measurements, or boundaries, you should have those items independently measured to verify any reported information.

(4) The following providers currently provide service to the property:

Electric: <u>PEC</u>	_____	phone #:	_____
Sewer: <u>Private</u>	_____	phone #:	_____
Water: <u>Private</u>	_____	phone #:	_____
Cable: <u>DirecTV</u>	_____	phone #:	_____
Trash: <u>ESSE</u>	_____	phone #:	_____
Natural Gas: _____	_____	phone #:	_____
Phone Company: _____	_____	phone #:	_____
Propane: <u>Vapo Gas - Fredericksburg</u>	_____	phone #:	_____

(5) This Seller's Disclosure Notice was completed by Seller as of the date signed. The brokers have relied on this notice as true and correct and have no reason to believe it to be false or inaccurate. YOU ARE ENCOURAGED TO HAVE AN INSPECTOR OF YOUR CHOICE INSPECT THE PROPERTY.

The undersigned Buyer acknowledges receipt of the foregoing notice.

Signature of Buyer	_____	Date	Signature of Buyer	_____	Date
Printed Name: _____			Printed Name: _____		



TEXAS ASSOCIATION OF REALTORS®

INFORMATION ABOUT ON-SITE SEWER FACILITY

USE OF THIS FORM BY PERSONS WHO ARE NOT MEMBERS OF THE TEXAS ASSOCIATION OF REALTORS® IS NOT AUTHORIZED.
©Texas Association of REALTORS®, Inc., 2004

CONCERNING THE PROPERTY AT

33 Delaware Creek Rd.
Blanco, Tx 78606

A. DESCRIPTION OF ON-SITE SEWER FACILITY ON PROPERTY:

- (1) Type of Treatment System: Septic Tank Aerobic Treatment Unknown
- (2) Type of Distribution System: _____ Unknown
- (3) Approximate Location of Drain Field or Distribution System: _____ Unknown
- (4) Installer: Rittiman Plumbing Unknown
- (5) Approximate Age: March '94 Unknown

B. MAINTENANCE INFORMATION:

- (1) Is Seller aware of any maintenance contract in effect for the on-site sewer facility? Yes No
If yes, name of maintenance contractor: _____
Phone: _____ contract expiration date: _____
Maintenance contracts must be in effect to operate aerobic treatment and certain non-standard on-site sewer facilities.)
- (2) Approximate date any tanks were last pumped? UNKNOWN
- (3) Is Seller aware of any defect or malfunction in the on-site sewer facility? Yes No
If yes, explain: _____
- (4) Does Seller have manufacturer or warranty information available for review? Yes No

C. PLANNING MATERIALS, PERMITS, AND CONTRACTS:

- (1) The following items concerning the on-site sewer facility are attached:
 planning materials permit for original installation final inspection when OSSF was installed
 maintenance contract manufacturer information warranty information _____
- (2) "Planning materials" are the supporting materials that describe the on-site sewer facility that are submitted to the permitting authority in order to obtain a permit to install the on-site sewer facility.
- (3) It may be necessary for a buyer to have the permit to operate an on-site sewer facility transferred to the buyer.

KENDALL COUNTY

DEPARTMENT OF
DEVELOPMENT MANAGEMENT
211 East San Antonio Street, Suite 6
Boerne, Texas 78006
Telephone: (A/C) 248-9343 Ext. 23

FILE NO. S-3220

SEPTIC FORM

PRIVATE SEWAGE FACILITY (LICENSED) IN KENDALL COUNTY, TEXAS

APPLICANT INFORMATION:

PROPERTY OWNER (LICENSEE) JESSE PFEIFFER CONTRACTOR RITTMAN PLUMBING

SUBDIVISION OR LOCATION OFF FM 1888 33 Delaware Creek Road

TOTAL AREA SQ. FT. _____ OR ACRES 10

NO. BEDROOMS 3 OR SQ. FT. OF HOUSE _____ OR GAL/DAY _____


PERC RATE 15 CLASS NO. _____ TRENCH REQ. SQ. FT. 580 OR BED REQ. SQ. FT. _____

*WELL
*
C/L DRILLING*

GALLON CAPACITY REQ. FOR CONCRETE SEPTIC TANK 1000

INSTALLED: LENGTH 145 WIDTH 4
SQ. FT. 580 BED _____ TRENCH

REMARKS: CONTRACTOR STATED THAT 4' WIDE TRENCHES WERE CONSTRUCTED DUE TO SMALL CONSTRUCTION ALLOT. (SOME BECAME AS 3' WIDE MARK)
(SKETCH OF APPROXIMATE DISTANCES, NOT TO SCALE.)



THE COUNTY OF KENDALL, THE TEXAS DEPARTMENT OF HEALTH, OR THEIR AGENTS OR DESIGNEES, MAKE NO REPRESENTATION THAT FACILITIES HEREIN LICENSED WILL PROVIDE SATISFACTORY SERVICE TO THE PREMISES SERVED. IT WILL BE THE LICENSEE'S RESPONSIBILITY TO MAKE ANY CHANGES OR MODIFICATIONS WHICH OPERATING EXPERIENCE MAY SHOW TO BE NECESSARY IN ORDER FOR THESE FACILITIES TO PROVIDE SATISFACTORY SERVICE. SEPTIC DISTANCES MEET MINIMUM TEXAS DEPARTMENT OF HEALTH SEPARATION DISTANCES IN MOST INSTANCES, SOME RENOVATIONS MAY BE LESS IF REPAIRED OR REPLACED IN THE SAME GENERAL AREA AS THE PRE-EXISTING SYSTEM BEING RENOVATED.

PERMIT (LICENSE) GRANTED AND APPROVED THIS DATE: 23 MAR 94

John B. Dunkin
John B. Dunkin
Director of Development Management



KENDALL COUNTY

DEPARTMENT OF
DEVELOPMENT MANAGEMENT
P. O. Box 605
Courthouse Annex
Boerne, Texas 78006
Telephone: (512) 249-8270

FILE NO. 6 -

PERCOLATION TEST

1. NAME OF SUBDIVISION OR LOCATION OF PROPERTY S 20°W ~ 3700 feet
from Lindendale Community Hall

2. UNIT NO. _____ BLOCK NO. _____ LOT NO. _____

3. TOTAL ACREAGE 51.9 OR SQUARE FEET _____

4. NAME OF PROPERTY OWNER Ronnie Immel

5. SURFACE SLOPES (IN FEET) TO: EAST 8:1

6. TYPE OF SOIL Sandy Clay DATE OF TEST 3 / 13 / 89

7. TEST HOLES	DEPTH OF HOLE	RATE OF PERCOLATION	8. AVERAGE PERC. RATE
1.	<u>20"</u>	<u>10</u>	<u>10</u>
2.	<u>18"</u>	<u>10</u>	
3.	_____	_____	
4.	_____	_____	

NO. OF BEDROOMS 3 OR, _____
GAL./DAY _____

TYPE OF PROFESSIONAL PERFORMING PERC. TEST
ENGINEER

9. REQUIREMENTS:
580 (SQ. FT. OF TRENCH) OR 923 (SQ. FT. OF BED) AND 1000 (GAL. CAP. OF SEPTIC TANK)

10. THESE TESTS ARE PERFORMED IN ACCORDANCE WITH "CONSTRUCTION STANDARDS FOR PRIVATE SEWAGE FACILITIES", PUBLISHED BY THE TEXAS DEPARTMENT OF HEALTH.

Dan B. Bunker 22550
(SIGNATURE OF PROFESSIONAL RESPONSIBLE FOR TEST) (REG. NO.)

SKETCH OF LOCATION OF TESTS:

